


○ | ○ one vision



# HDMI HOLOGRAM FAN


LIVE STREAMING



Real-time display



Transmission without delay



Real-time interaction

Start a new space exploration



Z3  
65cm

Z5  
100cm

Z4  
150cm

Z200  
180cm

# Stunning visual effects

Bring you an immersive audio-visual experience

FAN HDMI 3D LED FAN  
FAN HDMI 3D LED FAN



Educational science display



Real-time video conferencing



Real-time interaction



Bar, party atmosphere creation



Concert Visual Enjoyment

# Z3 HDMI REAL-TIME PLAYBACK



**Fiber optic cable**  
Long transmission distance and zero delay



**HDMI transceiver**  
Easy to install Lightweight and bendable



**HDMI cable**  
Strong against signal interference

Display diameter **65** cm

LED QTY. **960** leds

Size(mm)	650x650x77
Resolution(dpi)	2048x960
Viewing Angle	170°
PCS per carton	1
Carton size(cm)	76x26.6x13
Carton Gross weight	6.5kg



**100**

Rated power(w)

**720**

Revolutions

**2000**

Luminance

# Z5S HDMI REAL-TIME PLAYBACK



Fiber optic cable  
Long transmission distance  
and zero delay



HDMI transceiver  
Easy to install Lightweight  
and bendable



HDMI cable  
Strong against signal  
interference

Display diameter **100** cm

LED QTY. **1440** leds

Size(mm)	1000x1000x77
Resolution(dpi)	2048x1440
Viewing Angle	170°
PCS per carton	1
Carton size(cm)	76x26.6x13
Carton Gross weight	7kg



**150**

Rated power(w)

**700**

Revolutions

**2000**

Luminance

# Z4 HDMI REAL-TIME PLAYBACK



**Fiber optic cable**  
Long transmission distance and zero delay



**HDMI transceiver**  
Easy to install Lightweight and bendable



**HDMI cable**  
Strong against signal interference

Display diameter **150** cm

LED QTY. **2880** leds

Size(mm)	1500x1500x140
Resolution(dpi)	2048x2880
Viewing Angle	170°
PCS per carton	1
Carton size(cm)	83x4.56x255
Carton Gross weight	15kg



**320**

Rated power(w)

**350**

Revolutions

**4000**

Luminance

# Z200 HDMI REAL-TIME PLAYBACK



**Fiber optic cable**  
Long transmission distance and zero delay



**HDMI transceiver**  
Easy to install Lightweight and bendable



**HDMI cable**  
Strong against signal interference

Display diameter **180** cm

LED QTY. **2512** leds

Size(mm)	1800x1800x140
Resolution(dpi)	2048x2512
Viewing Angle	170°
PCS per carton	1
Carton size(cm)	99x46.5x25
Carton Gross weight	16.5kg

**400**

Rated power(w)

**350**

Revolutions

**1800**


Luminance

# 3D Holographic Advertising Machine

Brand-new vision | High-definition naked eyes | Eye-catching drainage

- 42cm Z1/Z2
- 52cm Z7H
- 56cm Z6/Z6H
- 65cm Z3/Z3\_2020 /Z3H
- 80cm Z8
- 100cm Z5\_2020/Z5S
- 150cm Z4
- 180cm Z200

- 16G TF card
- Multi mode
- Bluetooth Audio
- APP Edit
- Free material







### Use in multiple scenarios

Application shopping malls, exhibitions, bars, railway stations, parties, signs, etc.



### Multiple Splicing Unlimited Size

Support nationwide door-to-door service, professional one-on-one guidance



# 42cm 3D LED FAN

Support system

Model no.	Z1	Z2-32	Z2-42
Size (mm)	420x71x41	320x71x41	420x71x41
Resolution (dpi)	430x224	1024x224	1024x384
LED QTY.	2x112	2x112	2x192
Content replacement mode	TF card	TF card & Android& IOS	TF card & Android& IOS
Rated power	20w	36w	36w
Revolutions/Luminance	1300/1200	1200/1500	1200/1500
PCS per carton	10	10	10
Carton size (cm)	48.5x44x23.5	48.5x44x23.5	48.5x44x23.5
Carton Gross weight	6.7kg	6.2kg	7.1kg

## Application Function



16G TF card



Multi mode



Bluetooth Audio



APP Edit



Free material

Note: Z1 only supports WINDOWS, and does not support Bluetooth audio, multi-unit splicing, and APP editing.

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



# 52cm 3D LED FAN

Support system

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



Model no.	Z7H
Size (mm)	520x520x55
Resolution (dpi)	1600x576
LED QTY.	4x144
Rated power	30w
Revolutions (rpm)	700
Luminance	1200
PCS per carton	10
Carton size (cm)	48.5x43.5x41.5
Carton Gross weight	12kg

## Application Function




16G TF card



Multi mode



Bluetooth Audio



APP Edit




Free material

# 56cm 3D LED FAN

Support system

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



Model no.	Z6	Z6H
Size (mm)	560x560x85	560x560x55
Resolution (dpi)	1600x616	1600x640
LED QTY.	4x154	4x160
Rated power	24w	36w
Revolutions (rpm)	670	700
Luminance	1200	1200
PCS per carton	10	10
Carton size (cm)	48.5x43.5x41.5	48.5x43.5x41.5
Carton Gross weight	18kg	15kg

## Application Function



16G TF card



Multi mode



Bluetooth Audio



APP Edit




Free material

# 65cm 3D LED FAN

Support system

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



Model no.	Z3	Z3_2020	Z3H
Size (mm)	650x650x85	650x650x55	650x650x55
Resolution (dpi)	1600x768	1600x1152	1600x960
LED QTY.	4x192	4x288	4x240
Rated power	60w	80w	60w
Revolutions (rpm)	700	700	700
Luminance	1300	1500	1800
PCS per carton	10	10	10
Carton size (cm)	48.5x43.5x41.5	48.5x43.5x41.5	48.5x43.5x41.5
Carton Gross weight	15kg	15kg	15kg

## Application Function




16G TF card



Multi mode



Bluetooth Audio




APP Edit



Free material

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



# 80cm 3D LED FAN

Support system

Model no.	Z8
Size (mm)	800x800x55
Resolution (dpi)	1600x960
LED QTY.	4x240
Rated power	60w
Revolutions (rpm)	700
Luminance	1800
PCS per carton	10
Carton size (cm)	58x47x50
Carton Gross weight	22.5kg


## Application Function

- 16G TF card
- Multi mode
- Bluetooth Audio
- APP Edit
- Free material

# 100cm 3D LED FAN

Support system

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



Model no.	Z5_2020	Z5S
Size (mm)	1000x1000x77	1000x1000x77
Resolution (dpi)	1024x1024	2048x1440
LED QTY.	4x256	4x360
Rated power	130w	150w
Revolutions (rpm)	700	700
Luminance	1500	2000
PCS per carton	10	10
Carton size (cm)	58x47x50	58x47x50
Carton Gross weight	31.3kg	31.3kg

## Application Function




16G TF card



Multi mode



Bluetooth Audio




APP Edit



Free material

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



# 120cm 3D LED FAN

Support system

Model no.	Z9
Size (mm)	1200x1200x85
Resolution (dpi)	2048x1440
LED QTY.	4x360
Rated power	150w
Revolutions (rpm)	700
Luminance	2000
PCS per carton	10
Carton size (cm)	58x47x50
Carton Gross weight	33kg

## Application Function


- 16G TF card
- Multi mode
- Bluetooth Audio
- APP Edit
- Free material



# 150cm 3D LED FAN

Support system

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



Model no.	Z4
Size (mm)	1500x1500x140
Resolution (dpi)	2048x2880
LED QTY.	8x360
Rated power	320w
Revolutions (rpm)	350
Luminance	2000
PCS per carton	1
Carton size (cm)	83x4.56x255
Carton Gross weight	15kg

## Application Function




16G TF card



Multi mode



Bluetooth Audio



APP Edit




Free material

# 180cm 3D LED FAN

Support system

3D LED FAN  
3D LED FAN  
3D LED FAN  
3D LED FAN  
3D LED FAN  
3D LED FAN  
3D LED FAN



Model no.	Z200
Size (mm)	1800x1800x140
Resolution (dpi)	2048x2512
LED QTY.	8x314
Rated power	400w
Revolutions (rpm)	350
Luminance	1800
PCS per carton	1
Carton size (cm)	99x46.5x25
Carton Gross weight	16.5kg

## Application Function




16G TF card



Multi mode



Bluetooth Audio



APP Edit



Free material



# 15cm

HOLIDAY DECORATION MODELS

Support system

Model no.	Z15
Resolution (dpi)	128x128
LED QTY.	64
Built-in battery	Working hours > 6 h
control method	wifi上传
Charging voltage	5V, 1A
input interface	1x Type-C
Output Interface	1x USB
Package size(cm)	19x6.5x26

Application Function

- Bluetooth Audio
- APP Edit
- Free material



3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN




# 10cm

PORTABLE HOLOGRAPHIC FAN


Support system

Model no.	Z10
Resolution (dpi)	96x96
LED QTY.	48
Built-in battery	Working hours > 6 h
input interface	1x Type-C
Output Interface	1xUSB,2000 <sub>ma</sub> power supply
Package Size	28.8x17x5.5cm
PCS per carton	20
Outer box size (cm)	60x36x30




Application Function

- Bluetooth Audio
- APP Edit
- Free material



Ceiling installation



Wall-mounted

Desktop placement




Floor stand



# DH SERIES

Support system

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



Model no.	Z2-32	Z2-42
Size (mm)	360x360x75	450x450x75
Resolution (dpi)	1024x224	1024x384
LED QTY.	2x112	2x192
Rated power	36w	36w
Revolutions (rpm)	1200	1200
Luminance	1500	1500
PCS per carton	10	10
Carton size (cm)	40x40x40	49x49x49
Carton Gross weight	8kg	10kg

## Application Function

- 16G TF card
- Multi mode
- Bluetooth Audio
- APP Edit
- Free material

# DH SERIES

Support system

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



Model no.	Z7H	Z6H	Z3_2020
Size (mm)	520x520x55	560x560x55	650x650x55
Resolution (dpi)	1600x576	1600x640	1600x1152
LED QTY.	4x144	4x160	4x288
Rated power	30w	36w	80w
Revolutions (rpm)	700	700	700
Luminance	1200	1200	1500
PCS per carton	10	10	10
Carton size (cm)	48.5x43.5x41.5	48.5x43.5x41.5	48.5x43.5x41.5
Carton Gross weight	12kg	15kg	15kg

## Application Function




16G TF card



Multi mode



Bluetooth Audio



APP Edit




Free material

# DH SERIES

Support system

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



Model no.	HDMI-65CM
Size (mm)	706x706x116
Resolution (dpi)	2048x960
LED QTY.	4x240
Rated power	100w
Revolutions (rpm)	720
Luminance	2000
PCS per carton	1
Carton size (cm)	80x16x79.5
Carton Gross weight	6.5kg

## Application Function




16G TF card



Multi mode



Bluetooth Audio




APP Edit



Free material





## DZ SERIES

Support system   

### Matching model

Z2 42cm / Z7H 52cm / Z6H 56cm / Z3 65cm

### Application Function



16G TF card



Bluetooth Audio




APP Edit



Free material

## Transparent protective cover

Z-ACRYLIC-42/52



58cm

Z-ACRYLIC-56/65



75cm

Z-ACRYLIC-80/100



113cm



Z1(42cm)/Z7H(52cm)



Z3(65cm)



Z5(100cm)



## DB SERIES

Support system   

### Matching model

Z2 42cm / Z7H 52cm / Z6H 56cm / Z3 65cm

### Application Function



16G TF card



Bluetooth Audio



APP Edit



Free material

Matching model	Z1(42cm)/Z7H(52cm)	Z6(56cm)/Z3(65cm)	Z8(80)/Z5(100cm)
Size	58x58x15cm	75x75x13cm	113x113x16cm
Carton size	67x66x21cm	78x78x16cm	119x115x19cm
Carton Gross weight	2.9KG	4.5KG	9KG
Shell material	PC+PVC	PC+PVC	PC+PVC

# Other accessories

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



Product name Holographic tripod  
 Product weight 4KG  
 Surface treatment Piano paint  
 Product material cold rolled steel  
 Package Size 12x14x90cm  
 product height 130cm-210cm  
 Weight capacity 40KG  
 Product color black




Product name Holographic Ceiling Bracket  
 Shortest size 65cm  
 Longest size 105cm  
 Mounting panel size 11.5x11.5cm  
 Upper mounting hole 9x9cm  
 Bottom mounting hole 7x7cm  
 14.5x14.5cm



Product name Holographic Desktop Stand  
 Product Size 58x58x16cm



Product name Display stand  
 Applicable models Z5(100cm)  
 Display diameter 100cm  
 Product Size 120x47.1x180cm  
 Shell material Acrylic cover + wooden base



Product name Double-sided bracket  
 Display diameter 52cm/65cm  
 Product material Acrylic  
 Applicable models Z7/Z3H



Mobile lithium battery



One to nine power supply

# FLOOR HOLOGRAPHIC VERTICAL DISPLAY RACK

Support system

Suitable for large-scale exhibitions, supermarkets, schools and subway advertisements



HP-A



HP-B



HP-C

## HP-A

Stand height	Customizable
Built-in model (optional)	Z6H 56cm / Z3 65cm
Cabinet material	Aluminum

## HP-B

Stand height	Customizable
Built-in model (optional)	Z6H 56cm / Z3 65cm
Cabinet size	78x18x180cm
Cabinet material	Cold rolled steel
Mirror material	Mirror 5mm acrylic

## HP-C

Stand height	Customizable
Built-in model (optional)	Z6H 56cm / Z3 65cm
Cabinet material	Acrylic
Mirror material	Mirror 5mm acrylic

# MULTIPLE SPLICING - UNLIMITED SIZE




Positive display effect



Side effects



On-site installation effect



Splicing units	Built-in model	Display size
3x3 (9 units)	Z3/Z3H	1.6x1.6m
4x4 (16 units)	Z3/Z3H	2.1x2.1m
5x5 (25 units)	Z3/Z3H	2.5x2.5m


# UNLIMITED SPLICING - MODULAR DESIGN




4x4 16 splicing acrylic module installation



Side effects




Flight case transport




Module size	1100x1100mm
Panel material	Acrylic
Frame material	Aluminum (customizable)
Splicing size	Unlimited stitching



# 65cm holographic fan splicing reference scheme



# 120cm holographic fan splicing reference scheme



# STITCHING APPLICATION SCENARIO CASE (PART)


3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN



Outdoor Transformers (40 splicing)



Chinese Acrobatic Art Festival (66 sets)



CITIC Special Steel Annual Meeting (30 splicing)




Alibaba annual meeting (20 splicing)



Shanghai Clothing Exhibition (9 sets of splicing)




Shanghai exhibition (9 sets splicing)



Shanghai exhibition (12 splicing)

# TRANSPARENT 3D DISPLAY MACHINE




Product disassembly diagram

# GLASSES-FREE 3D TV



## Optical Film Forming




Surface Profiler      Aspherical Grating      Optical Film Processing Equipment




# Transparent OLED products




 **Wide viewing angle 178°**  
Any direction is a golden perspective, beautiful without dead ends

 **Transparent display 40% transparency**  
Integrate with the environment and awaken the harmonious beauty

 **High contrast ratio 150000:1**  
The details of light and shade extend infinitely, and imagination has no boundaries

 **Wide color gamut 120%**  
Restore the real world, beautiful without fear of color difference

 **10 point capacitive touch**  
Wireless screen transmission, multiple intelligent interactions: wonderful interaction without distance



[www.olonevision.com](http://www.olonevision.com)